Recra LabNet - Lionville Laboratory INORGANIC ANALYTICAL DATA PACKAGE FOR TNUHANFORD B99-093 H1062

DATE RECEIVED: 09/29/00 RFW LOT # :0009L815

CLIENT ID /ANALYSIS	RFW #	MTX	PREP #	COLLECTION	EXTR/PREP	ANALYSIS
B10F04						
<pre>% MOISTURE % MOISTURE % SOLIDS % SOLIDS</pre>	001 001 REP 001 001 REP	SO SO	00L%S158 00L%S158 00L%S158 00L%S158	09/27/00 09/27/00 09/27/00 09/27/00	10/05/00 10/05/00 10/05/00 10/05/00	10/06/00 10/06/00 10/06/00 10/06/00
B10F05						
<pre>% MOISTURE % SOLIDS</pre>	002 002		00L%S158 00L%S158	09/27/00 09/27/00	10/05/00 10/05/00	10/06/00 10/06/00
B10F06						
% MOISTURE % SOLIDS	003 003		00L%S158 00L%S158	09/27/00 09/27/00	10/05/00 10/05/00	10/06/00 10/06/00
B10DY9						
% MOISTURE % SOLIDS	004 004		00L%S158 00L%S158	09/27/00 09/27/00	10/05/00 10/05/00	10/06/00 10/06/00
B10F00						
% MOISTURE % SOLIDS	005 005		00L%S158 00L%S158	09/27/00 09/27/00	10/05/00 10/05/00	10/06/00 10/06/00
B10F01						
% MOISTURE % SOLIDS	006 006		00L%S158 00L%S158	09/27/00 09/27/00	10/05/00 10/05/00	10/06/00 10/06/00
B10F02						
% MOISTURE % SOLIDS	007 007	so so	00L%S158 00L%S158	09/27/00 09/27/00	10/05/00 10/05/00	10/06/00 10/06/00
B10F03						
% MOISTURE	008	so	00L%S158	09/27/00	10/05/00	10/06/00



EDMC

Recra LabNet - Lionville Laboratory INORGANIC ANALYTICAL DATA PACKAGE FOR TNUHANFORD B99-093 H1062

DATE RECEIVED: 09/29/00

RFW LOT # :0009L815

CLIENT ID /ANALYSIS	RFW #	MTX	PREP #	COLLECTION	EXTR/PREP	ANALYSIS
						
% SOLIDS	800	SO	00L%S158	09/27/00	10/05/00	10/06/00



Chemical and Environmental Measurement Information

Recra LabNet Philadelphia **Analytical Report**

Client: TNU-HANFORD B99-093 H1062

W.O. #: 10985-001-001-9999-00

RFW#: 0009L815

Date Received: 09-29-00

INORGANIC CASE NARRATIVE

1. This narrative covers the analyses of 8 solid samples.

- 2. The samples were prepared and analyzed in accordance with the methods checked on the attached glossary.
- 3. Sample holding times as required by the method and/or contract were met.
- 4. The cooler temperature was recorded on the chain-of-custody.
- 5. The replicate analyses were within the 20% Relative Percent Difference (RPD) control limit.
- I certify that this sample data package is in compliance with SOW requirements, both 6. technically and for completeness, other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature.

J. Michael Taylor

VP, Laboratory General Manager

Lionville Laboratory

njp\i09-815

The results presented in this report relate only to the analytical testing and conditions of the samples at receipt and during storage. All pages of this report are integral parts of the analytical data. Therefore, this report should only be reproduced in its entirety of 10 pages.

Recra LabNet Philadelphia

WET CHEMISTRY METHODS GLOSSARY FOR SOIL/SOLIDS SAMPLE ANALYSIS

	<u>ASTM</u>	<u>SW846</u>	<u>OTHER</u>
% Ash	D 2216-80		
% Moisture	V/D2216-80		ILMO4.0 (e)
% Solids	√ D2216-80		ILMO4.0 (e)
% Volatile Solids	D2216-80		
ASTM Extraction in Water	D3987-81/85		
BTU	D240-87		•
CEC		9081	_ c
Chromium VI		3060A/7196A	
Corrosivity by coupon by pH		1110(mod) 9045C	:
Cyanide, Total		9010 B	ILMO4.0 (e)
Cyanide, Reactive		Section 7.3	
Halides, Extractable Organic		9020B	EPA 600/4/84-008
Halides, Total		9020B	EPA 600/4/84-008
EP Toxicity		1310A	
Flash Point		1010	
Ignitability		1010	
Oil & Grease		9071A	
Carbon, Total Organic		9060	_ Lloyd Kahn (mod)
Oxygen Bomb Prep for Anions	D240-87(mod)	5050	
Petroleum Hydrocarbons, Total R	ecoverable	9071	EPA 418.1
pH, Soil		9045C	
Sulfide, Reactive		Section 7.3	
Sulfide		9030B(mod)	
Specific Gravity	D1429-76C/ _	D5057-90	
Sulfur, Total		9056	
Synthetic Preparation Leach		1312	
Paint Filter		9095A	
Other:	Method:		
Other:	Method		

Recra LabNet Philadelphia METHOD REFERENCES AND DATA QUALIFIERS

DATA QUALIFIERS

- U = Indicates that the parameter was not detected at or above the reported limit. The associated numerical value is the sample detection limit.
- * = Indicates that the original sample result is greater than 4x the spike amount added.

ABBREVIATIONS

MB = Method or Preparation Blank.

MS = Matrix Spike.

MSD = Matrix Spike Duplicate.

REP = Sample Replicate

LC = Laboratory Control Sample.

NC = Not calculated.

A suffix of -R, -S, or -T following these codes indicate a replicate, spike or sample duplicate analysis respectively.

ANALYTICAL WET CHEMISTRY METHODS

- 1. ASTM Standard Methods.
- 2. USEPA Methods for Chemical Analysis of Water and Wastes (USEPA 600/4-79-020).
- 3. Test Methods for Evaluating Solid Waste (USEPA SW-846).
- a. Standard Methods for the Examination of Water and Waste, 16 ed, (1983).
- b. Standard Methods for the Examination of Water and Waste, 17 ed, (1989)/18ed (1992).
- c. <u>Method of Soil Analysis</u>, Part 1, Physical and Mineralogical Methods, 2nd ed, (1986).
- d. Method of Soil Analysis, Part 2, Chemical and Microbiological Properties, Am. Soc. Agron., Madison, WI (1965).
- e. USEPA Contract Laboratory Program, Statement of Work for Inorganic Analysis.
- f. Code of Federal Regulations.

L-WI-034/D-6/99

Recra LabNet - Lionville

INORGANICS DATA SUMMARY REPORT 11/17/00

CLIENT: TNUHANFORD B99-093 H1062

RECRA LOT #: 0009L815

WORK ORDER: 10985-001-001-9999-00

					REPORTING	DILUTION
SAMPLE	SITE ID	ANALYTE	RESULT	UNITS	LIMIT	FACTOR
******			******	*****	******	******
-001	B10F04	* Moisture	11.3	ŧ	0.01	1.0
		% Solids	88.7	*	0.01	1.0
-002	B10F05	% Moisture	23.8	•	0.01	1.0
		% Solids	76.2	*	0.01	1.0
-003	B10F06	* Moisture	39.6	*	0.01	1.0
		* Solids	60.4	•	0.01	1.0
-004	B10DY9	* Moisture	2.1	•	0.01	1.0
		% Solids	97.9	*	0.01	1.0
-005	B10F00	% Moisture	20.1	•	0.01	1.0
		% Solids	79.9	*	0.01	1.0
-006	B10F01	* Moisture	11.2	•	0.01	1.0
		% Solids	88.9	•	0.01	1.0
-007	B10F02	% Moisture	10.9	*	0.01	1.0
		* Solids	89.1	*	0.01	1.0
-008	B10F03	% Moisture	0.51	*	0.01	1.0
		% Solids	99.5	*	0.01	1.0

Recra LabNet - Lionville

INORGANICS PRECISION REPORT 11/17/00

CLIENT: TNUHANFORD B99-093 H1062

RECRA LOT #: 0009L815

WORK ORDER: 10985-001-001-9999-00

			INITIAL			DILUTION
SAMPLE	SITE ID	ANALYTE	result	REPLICATE	RPD	PACTOR (REP)
	医医生物共享医医医医医医生生性	**************		********		********
-001RBP	B10F04	* Moisture	11.3	11.8	3.8	1.0
		• Solids	88.7	88.2	0.50	1.0

RE	CRA	Lab!	let :	Use	Only

00091815

Custody Transfer Record/Lab Work Request Page __1 of _____ FIELD PERSONNEL: COMPLETE ONLY SHADED AREAS





			T																					
Client	Mu	-Hans	ord Bo	19-093	y 93			erator	#		1				+									
Est. Final Pro	al. Sem	online Dete			•		#/Type	e Coni	elner	Liquid									1					
Project # 10	<u> 3Pč</u>	5-001-	<u> </u>	9900						Solid	IPG			<u> </u>	1_			1						
Project Contr							Volum			Liquid						<u> </u>		,	3 3					
RECRA Proje	ct Mar	nager <u></u>								Solid	250	<u> </u>		\vdash	1	ļ			7					
ac Spec		Del St	<u>2</u> TAT.	_30 da	<u>u</u>		Prese	rvetivo) \$	<u></u>			<u> </u>		1	<u> </u>		لا	1	<u> </u>	ightharpoonup			
Date Rec'd _	q	OG-P5	Date Due	_10-29-0	<u> </u>		ANAL	YSES			<u> </u>	T	ANIC					ORG	1		. !		ļ	į
Account #		· · · · · · · ·			<u> </u>		REQU	ESTE	D		Š	BNA A	Pest/ PCB	£			Metal	중	Į į.		ŀ		İ	ı
MATRIX		·	·		М	itrix						1	1,	+	<u> </u>	RECRA	LabNe	t Use	Only	<u></u>	1			
CODES:	Lab	1			0	C Sen		Ι,	Date	Time	\boxtimes				S	·								
S - Soil SE - Sediment	0	}	Client iD/Desc	cription		/)	Matrix			Collected	表				Thoms						.		ł	
SO - Solid SL - Sludge					MS	MSD		1			¥æg 8	}			H				-		İ			
W - Water	201	BIOF	W	*			50	q,	776	1236			1				1							
O+ OII A+ Air	300		۲,				<u> </u>	†		245I	_							1						
DS - Drum Solide	202		Lo					╅	1 1	1550								1			-	-+	-+	
DL - Orum Liquids		1						╁	1-1			1					┪	-	<u> </u>					
L - EP/TCLP Leachate		BIOD				\vdash	╂╼╂╾		╁┯╏	1111	_	├	-				┼─	 	1					
WI - Wipe X - Other		BIOF	<u>,</u>	·			 	╀	-	1135	_	-	-		_	<u> </u>		ļ —				 -	 -	
F - Fish	$ \alpha \alpha $	\			_	-	┝╼┝		 	1155	_	 			_			 						
ļ	α	ļ	<u></u>			├ ─┈		╀	1	<u>1910</u>	_	ļ		<u> </u>			-	<u> </u>	ļ					
	000	<u> </u>	3		_			<u> </u>	<u> </u>	1552	_	ــــــ			_	ļļ	 					_		
								<u> </u>				<u> </u>					 	ļ			\longrightarrow			
								<u>.</u>			L							<u> </u>						
Special Instruct	ions: 🤇	BOS POC	P9-093			DATE	REVISIO	C.ŚW	٠. ا	mpl	~.' v		\sim						REC	RA Lebi	Net Use	Only		
			•					1. ‡	ИΙ	TT-ba	ПΛ	X					- Sa	amples 1	were:			Tape		
0-1	\	11.						2							_				d — vered _		1) Pi Paci	resent c	Oute or N	or N
Cartan tetrachloride only						3						<i>.</i>			Ai	rbill #			2) Ui	nbroker	n on Ou	uter		
•						4									2)	Ambier	1 or 06				or N Ag Samy			
															3)	Receive	ed in Go	ood	5, , ,	8	or i	N		
 -					0							•	····			indicate			nbroken		ĺ			
Relinquished	<u> </u>	Received	<u> </u>		Relinguis	land .		6	denoted the									operly F	reserve O or	d		Ple Cord	or N JPreser	
by py		by	Date	Time '	by	H7 47 U		b		D	nto .	Tim	<u> </u>			es Between bels and	_ 51		ed Withi			Sample	e Rec't	
శ ఱ౭్గ	15	D.Ania	29/29/00	0330						Ок	OKIGINAL COC Record? Y & CAD NOTES:			Holding Times Cooler			-	- 1						
<u> </u>	一 <u> </u>	1)	1 4 50		COMP	'OS I STF				REV						5 795	> 0//		(A) a	74	Temp) .7	_ 	'
	1		I		A VV	316	• 1				717			_	フルニ	<u> </u>	J 77	73						1

Bechtel Hanford Inc.				CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUES							EQUEST	r	B99-093-17			Page 2 0 2	
Collector TMJOHANSEN/C	GSTHOMAS			pany Contact IROHAY	Telepho 372-9		,				ject Coordi ENT, SJ	nator	Pric	re Code	9N		rnaround
Project Designation 200-ZP-2 Passive		traction - Other Soli		pling Location 10W							F No. 9-093		Air Quality [45 Days	
Ice Chest No.	RC 99	.052 (II	or=() Field	l Logbook No. L-1516		CO R20	DA Method of Shipmer 0ZP2DP60 FED EX			ment							
Shipped To -TMA/RECRA	_		1	ite Property No.	AØØ	03	344			Bill	of Lading	Air Bill	No.	795	3-9-	115_	
POSSIBLE SAMP	PLE HAZARI)S/REMARKS		Preservation	Cool 4C						,						
				Type of Container	a.G												
G		_		No. of Container(s)	250mL								\perp				
Special Handling a Sample originated i				Volume									1				
		SAMPLE ANAI	.ysis		VOA - \$260A (TCL) (Carbon tetrachloride				:						:		
Sample No	0 .	Matrix *	Sample Date	<u> </u>							With the Co						s of Ar
B10F04		OTHER SOLID	9-27-0	00 1236	X												
B10F05		OTHER SOLID	9-27-	00 1245	X								_				
B10F06		OTHER SOLID	4-27-	00 1256	X								_				
													_				
						Щ,					<u> </u>						
Relinquished By Relinquished By	Min Sigs Thores	112.8106	Received By Received By Received By Received By	TKTHONERS	ate/Time Z & Cost / OF	60°	compo	Samples s Shipping Collector	include (tored i Facility	ium fer the % i in Re y on ailab	Moisture data	as part of at the 37 (E) Quish sa	all har	d copy repor	t any other hak	genaled	Matrix * S=Sell SE=Sellment SO=Selid S = Shulge W = Water O=ON A=Alz DS=Dreen Solids DL=Dreen Liquids T=Tissue WI=Wipc L=Liquids
Relinquished By Relinquished By		Date/Time Date/Time	Received By) b	ate/Time			on <u>4 /2</u>	(KID	<u>-</u> Fo	er shipmen	t.	9	12T 128 100)		V=Vegetation X=Other
LABORATORY SECTION	Received By		<u> </u>		Ti	tle	·			<u></u>				· · · · · · · · · · · · · · · · · · ·	Da	e/Time	
FINAL SAMPLE DISPOSITION	Disposal Metho	1	· · · · · · · · · · · · · · · · · · ·					Dispo	sed By						Da	le/Time	

Bechtel Hanf	ord Inc.	C	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST B99-093-17						Page I	ec I or All			
Collector TMJOHANSEN/GSTHOM	IAS		any Contact ROHAY		phone No. Project Coordinator 12-9100 TRENT, SJ						Time code 314		rnaround Dove
Project Designation 200-ZP-2 Passive Soil Vap	or Extraction - Other Solid		ling Location		· .			SAF No. B99-093		Air Quality		45	Days ———
Ice Chest No. 2RC	99-052(Logbook No. -1516	COA R20ZP2DP60			Method of Shipment FED EX						
Shipped To -TMA/RECRA		Offsit	e Property No.	00 3	44		_ =	Bill of L	ing/Air Bill 236	7953	<u> 91</u>	115	
POSSIBLE SAMPLE HAZ	LARDS/REMARKS		Preservation	Cool 4C									
			Type of Container	aG									
			No. of Container(s)	1	<u> </u>								
Special Handling and/or St Sample originated in non radi			Volume	250mL			_						
SAMPLE ANALYSIS													_
Sample No.	Matrix *	Sample Date	Sample Time			No. No.							
B10DY9	OTHER SOLID	9-27-a		X									
B10F00 .	OTHER SOLID	9-27-6	1135	V							<u> </u>		
B10F01	OTHER SOLID	9-27-0	0 1155_				<u> </u>						
B10F02	OTHER SOLID	9-27-0	0 1210	X									
B10F03	OTHER SOLID		0 1225	<u> </u>	<u>. L.,</u>		<u> </u>					<u> </u>	
Relinquished By Relinquished By Relinquished By Relinquished By Relinquished By	nequished By Date/Time Received By Date/Time Date/Time Date/Time Date/Time Date/Time Received By Date/Time Date/Time Date/Time Date/Time Received By Date/Time Date/Time Received By Date/Time Date/Time Date/Time Date/Time Received By Date/Time Date/Time Date/Time Date/Time Date/Time Date/Time Received By Date/Time Date/Ti							Matrix * S-Soll SE-Sollment SO-Solld S = Sindge W = Water G-OB A-Alt DS-Drum Solids DL-Drum Liquids T-Tissue Wi-Wipe L-Liquid V-Vegetation X-Other					
LABORATORY Received SECTION	Ву			Ti	itie						I	Date/Time	ļ
FINAL SAMPLE Disposal I DISPOSITION	Method	· • • • • • • • • • • • • • • • • • • •	<u> </u>			Dispo	sed By				1	Date/lime	

Recra LabNet - Lionville Laboratory VOA ANALYTICAL DATA PACKAGE FOR TNUHANFORD B99-093 H1062

DATE RECEIVED: 09/29/00 RFW LOT # :0009L815

CLIENT ID	RFW #	мтх	PREP #	COLLECTION	EXTR/PREP	ANALYSIS
B10F04	001	M1 SO	00LVH438	09/27/00	N/A	10/10/00
B10F04	001 MS	M1 SO	00LVH438	09/27/00	N/A	10/10/00
B10F04	001 MSD	M1 SO	00LVH438	09/27/00	N/A	10/10/00
B10F05	002	M1 SO	00LVH438	09/27/00	N/A	10/10/ 00
B10F06	003	M1 SO	00LVH437	09/27/00	N/A	10/09/ 00
B10DY9	004	M1 SO	00LVH438	09/27/00	N/A	10/10/00
B10F00	005	M1 SO	00LVH437	09/27/00	N/A	10/09/00
B10F01	006	M1 SO	00LVH437	09/27/00	N/A	10/09/00
B10F02	007	M1 SO	00LVH441	09/27/00	N/A	10/11/00
B10F03	008	M1 SO	00LVH438	09/27/00	N/A	10/10/00
LAB QC:						
						
VBLKBH	MB1	S	00LVH438	N/A	N/A	10/10/00
VBLKBH	MB1 BS	S	00LVH438	N/A	N/A	10/10/00
VBLKBF	MB1	S	00LVH437	N/A	N/A	10/09/ 00
VBLKBI	MB1	S	00LVH441	N/A	N/A	10/11/00





Chemical and Environmental Measurement Information.

Recra LabNet Philadelphia Analytical Report

Client: TNU-HANFORD B99-093

RFW#: 0009L815

SDG/SAF #: H1062/B99-093

W.O. #: 10985-001-001-9999-00

Date Received: 09-29-00

GC/MS VOLATILE

The set of samples consisted of eight (8) solid samples collected on 09-27-00.

The samples and their associated QC samples were analyzed according to criteria set forth in Recra OPs based on SW 846 Method 8260A for client specified Volatile target compound, Carbon Tetrachloride, on 10-09,10,11-00.

The following is a summary of the QC results accompanying these sample results and a description of any problems encountered during their analyses:

- 1. The cooler temperature upon receipt has been recorded on the chain-of-custody.
- 2. The samples were analyzed within required holding time.
- 3. The following samples required dilution/medium level analysis because they contained high levels of target compound:

Sample ID	Analysis Level/Dilution Factor
B10F04	medium/50x
B10F05	medium/100x
B10F06	medium/100x
B10DY9	medium/100x
B10F00	medium/500x
B10F01	medium/500x
B10F02	medium/1000x
B10F03	medium/10x

- 4. All surrogate recoveries were within EPA QC limits.
- 5. All matrix spike recoveries were within EPA QC limits.
- 6. All blank spike recoveries were within EPA QC limits.

The results presented in this report relate only to the analytical testing and conditions of the samples at receipt and during storage. All pages of this report are integral parts of the analytical data. Therefore, this report should only be reproduced in its entirety of 10 pages.

7. "I certify that this sample data package is in compliance with SOW requirements, both technically and for completeness, other than the conditions detailed above. Release of the data contained in this hard-copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature."

J. Michael Taylor

VP, Laboratory General Manager

Lionville Laboratory

pef\group\data\voa\tnu-hanford-09-815.doc

ار <u>دا</u> Date



GLOSSARY OF VOA DATA

DATA QUALIFIERS

- U = Compound was analyzed for but not detected. The associated numerical value is the estimated sample quantitation limit which is included and corrected for dilution and percent moisture.
- J = Indicates an estimated value. This flag is used under the following circumstances: 1) when estimating a concentration for tentatively identified compounds (TICs) where a 1:1 response is assumed; or 2) when the mass spectral data indicate the presence of a compound that meets the identification criteria but the result is less than the specified detection limit but greater than zero. For example, if the limit of detection is 10 ug/L and a concentration of 3 ug/L is calculated, it is reported as 3J.
- B = This flag is used when the analyte is found in the associated blank as well as in the sample. It indicates possible/probable blank contamination. This flag is also used for a TIC as well as for a positively identified TCL compound.
- E = Indicates that the compound was detected beyond the calibration range and was subsequently analyzed at a dilution.
- D = Identifies all compounds identified in an analysis at a secondary dilution factor.
- I = Interference.
- NQ = Result qualitatively confirmed but not able to quantify.
- N = Indicates presumptive evidence of a compound. This flag is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It is applied to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the N code is not used.
- This flag is used for a TIC compound which is quantified relative to a response factor generated from a daily calibration standard (rather than quantified relative to the closest internal standard).
- Y = Additional qualifiers used as required are explained in the case narrative.

mmz\10-94\gloss.voa



004

GLOSSARY OF VOA DATA

ABBREVIATIONS

BS	-	Indicates blank spike in which reagent grade water is spiked with the CLP matrix spike solutions
		and carried through all the steps in the method. Spike recoveries are reported.

BSD = Indicates blank spike duplicate.

MS = Indicates matrix spike.

MSD = Indicates matrix spike duplicate.

DL = Suffix added to sample number to indicate that results are from a diluted analysis.

NA = Not Applicable.

DF = Dilution Factor.

NR = Not Required.

SP, Z = Indicates Spiked Compound.

mmz\10-94\gloss.voa



005

Recra LabNet - Lionville Laboratory

Volatiles By GC/MS, Special List

Report Date: 12/06/00 13:54

REW Backh Annie: 0009L815 Alignati TNUHANFORD B99-093 H1062 Work Order: 109s-001001 Page: 1a 9 Cust ID: B10F04 B10F04 B10F04 B10F05 B10F06 B10DY9 Sample RFW#: 001 001 MS 001 MSD 002 003 004 Information Matrix: SOLID SOLID SOLID SOLID SOLID SOLID D.F.: 111 111 111 200 211 222 UG/KG Units: UG/KG UG/KG UG/KG UG/KG UG/KG Level: MED MED MED MED MED MED 1,2-Dichloroethane-d4 88 ફ 102 왐 웋 106 93 93 90 Surrogate Toluene-d8 ž 100 97 왐 100 ջ 101 왐 101 99 Recovery Bromofluorobenzene 86 왂 87 89 2 왛 88 ò 84 83 Carbon Tetrachloride 510000 131 왕 109 옿 1700000 1000000 750000 Cust ID: B10F00 B10F01 B10F02 B10F03 VBLKBH VBLKBH BS Sample RFW#: 005 006 007 800 00LVH438-MB1 00LVH438-MB1 Information Matrix: SOLID SOLID SOLID SOLID SOIL SOIL D.F.: 1000 1110 2000 22.9 2.00 2.00 Units: UG/KG UG/KG UG/KG UG/KG UG/KG UG/KG Level: MED MED MED MED MED MED 1,2-Dichloroethane-d4 102 욯 100 옿 89 ş 96 ջ 98 ջ 102

욯

102

88

100000

왛

80

78

620 U

왐

99

88

94

ş

왕

98

83

9800000

*= Outside of EPA CLP QC limits.

Carbon Tetrachloride

Toluene-d8

Bromofluorobenzene

102

88

3900000

옿

ş

100

85

4000000

왕

Surrogate

Recovery

Recra habbet - Lionville Laboratory

Molatiles By GC/MS, Special List

Report Date: 12/06/00 13:54 Citene: TNUHANFORD 899-093 H1062 Work Order: 10985001001 Page: 2a REW_Barch_Wanner: 0009Ld15_________ ~ **່**ດ VBLKBI Cust ID: VBLKBF RFW#: 00LVH437-MB1 00LVH441-MB1 Sample SOIL Information Matrix: SOIL 2.00 D.F.: 2.00 UG/KG Units: UG/KG Level: MED MED 옿 1,2-Dichloroethane-d4 96 96 왐 Toluene-d8 104 ò 100 Surrogate Bromofluorobenzene 90 86 Recovery 620 U 620 U Carbon Tetrachloride

^{*=} Outside of EPA CLP QC limits.

RECRA Lab		ise Only		Ody T								Re	qı	les	t Pa	age	. <u>1_</u> of	<u> </u>		ſ	21	5 !	REC Labi	
client Thu-Hanford B99-093						Refrige	rator #		Ι,		Ι							<u> </u>		<u> </u>		ठि		
Est. Final Pro	j. San	pling Date					<u> </u>	Container	Liquid				_					3	- 1					L
Project # _10	3PC	25.001-00	21-04	<u> 1900</u>					Solid	1PG				-				*	. (g) 2. (g)		 	<u> </u>		┝
Project Conta			<u> </u>		<u> </u>		Volume	•	Liquid Solid	35					 			į.	6 °				┼─┤	┝
RECRA Proje	ct Mar	rager OJ		70	40		Presen	vatives	3090	දිදුව								· · · · · · · · · · · · · · · · · · ·	3	-	 			
OC -DIEC		Del Std			_]				<u> </u>		ORG	ANIC		<u> </u>			INO	RG						┢
Date Rec'd Account #	<u> </u>		Date Due	_10-2	9-00		REQUE		-	۸O۷	BNA	Pest/ PCB	Herb				Metal	CN	1					
MATRIX						Matrix							1		REC	RA L	abNet	Use (Only		1			_
CODES: 8 - Solt 8E - Sediment	Lab 10	C	Hent ID/Desc	ription		QC Chosen (Matrix	Date Collected	Time Collected	₹				જ્રમાડા										
SO - Solid SL - Sludge						MSD MSD	1			ਠ				Ή										L
W - Water C - Oil	ϖ	BIOFO	-				Sa	92700	1236	_														L
A - Alr DS - Drum	33	1 9	<u> </u>						1245															L
Solide DL - Drum	200	<u> </u>	6	<u></u>					1256	_														
Liquide L - EP/TCLP	C 74	BIODY	Α						ш															L.
Leachate WI - Wipe	<u>0</u> 205	BIOFO	2						1135															L.
X Other F Fish	α		1			_			1155															
	$\overline{\Omega}$		<u>ح</u>					<u> </u>	0151															
	008	<u> </u>	3				1	1	1255					_										
								<u> </u>																
Special Instruct	lons: 🤇	Saf BAS	1.093			DATE	REVISION	Pun	m	mi x	G	\sim							REC	RA Let	Net Us	• Only		
Carbon	n te	trachlor	ide an	ily				2 3 4									1) : Hai Airl 2) /	nd Deli bill # _ Amblen	vered _		1) F Pac 2) U Pac	:kage ∕` Unbroke :kage <i>(</i> Present	on Out or en on Or Or or on Sam	N Juler N Nple
								5									4) I	ndition Labels	Ø or Indicate	N		Jnbroke	(Oror enon }orN	
Relinquished by		Received by	Date	Time	1	quished by		6 Received by	D	ate	Tim	HO.	Samp	oles Lat	s Between			(reserve or od Withi	N	COC	C Recor	ord Prese ple Rect (37) or	ent 't
490 CX	;	DATION	9/24/00	જાર ુ	-ee	MPOS	RE-		OH	igi	NAL			Record	17 4 61			ding Ti	mes	N	Coo	ılar .	4.6 ·	

4235 7953 9415

COMPOSITE

Bechtel Hanford Inc.			CHAIN OF CUSTODY/SAMPLE ANALYSIS							-	B99	-093-17	Page <u>2</u> of <u>2</u>	
Collector TMJOHANSEN/GSTHO	OMAS		Company Contact Telephone No. VIROHAY 372-9100							eter P	rice Code	9N		rusround
Project Designation 200-ZP-2 Passive Soil V	apor Extraction - Other Solid		Sampling Location SA							A	ir Quality		45 Days	
Ice Chest No. 2RC.	99.052 (10	Logback Na. 1516	DP60			ed of Ship DEX	mcal .			<u>5</u>				
Shipped To -TMA/RECRA -TMA/ 9-27-0		Property No.	AØØ	034	34 <u>~{</u>			Lading//	Lir Bij No	795	3-9·	115_		
POSSIBLE SAMPLE H		Preservation	Cool 4C		_			_						
			Type of Container	aG										
			No. of Container(s)	'	<u> </u>			_			ļ <u></u> .			
Special Handling and/or Sample originated in son s	r Storage radiological zone <2000pci/g		Volume \	250mL										
	SAMPLE ANAL	YSIS		VOA - 8260A (FCL) {Carbon tetrachloride	Į.									
Sample No.	Matrix *	Sample Date	Sample Time			a series			沙地	ENE				6.86.60
B10F04	OTHER SOLID	9-27-0	0 1236	X				_[
B10F05	OTHER SOLID	4-27-0	1245 X	×	 						↓			 _
B10F06	OTHER SOLID	<u> 9-27-0</u>	20 1256	X	 			_			ļ			ļ
				<u> </u>	 	<u> </u>		- ‡						
CHAIN OF POSSES		Siga/Prio			1 1000	CIAL INSTR			_		<u> </u>	<u></u>		Matrix *
NOW PARSI	Date/Time DefrowPate/TimeC80 28 9 12 8/06 Over Date/Time Date/Time Date/Time	Laboratory may use medium level preparation for VOA. They are to report compounds found. Laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of all hard copy report laboratory must include the % Moisture data as part of a								S-Soil SE-Sadiment SC-Sadiment				
Relinquished By	Date/Time	Received By	Da	ate/Time	-				,	9 28 0 0				
LABORATORY Receiv	ed By			Ti	<u> </u> itle				_			Di	te/Time	
, ,	sal Method					Dispo	sed By		=	_		a	ale/l une	

Bechtel Hanford Inc.	CH	IAIN OF CUST	REQUES	Γ	1	B99-093-17	Page 1	of <u>2</u>				
Collector TMJOHANSEN/GSTHOMAS	Company Contact Telephone No. VJROHAY 372-9100						Project Coord TRENT, SJ	nator	Price Cod	• 9N	Data T	urnaround
Project Designation 200-ZP-2 Passive Soil Vapor Extraction - Other Solid	Sampling Location 200W						SAF No. B99-093		Air Qual	ity 🗆	45	Days
Ice Chest No. 2RC 99 -052 (10F)	Field L EL-1	ogbook No. 516	COA R20ZP2	DP60	Method of Ship FED EX	oment				<u> </u>		
Shipped To TMA/RECRA	Offsite	Property No.	200	44		1	Bill of Lading	35	7953	3 - 94	15	:
POSSIBLE SÄMPLE HAZARDS/REMARKS		Preservation	Cool 4C							i.		
	ľ	Type of Container	aG					į				
	Ì	No. of Container(s)	'									
Special Handling and/or Storage Sample originated in non radiological zone <2000pci/g	Ī	Volume	250mL							,		
SAMPLE ANALYSIS			VOA - \$260A (TCL) (Carbon tetrachloride)									
Sample No. Matrix * Sam	pic Date	Sample Time				100						
B10DY9 OTHER SOLID $9-3$	7-W		\square									
B10F00 OTHER SOLID 9	7-60	1/35	V									
B10F01 OTHER SOLID 9-)7-a	<u> </u>	Ϋ́	<u> </u>								
B10F02 OTHER SOLID 9 - 2	7-00	01611	X									
B10F03 OTHER SOLID 9-2	7-0	<u>0 1/225</u>	X									
CHAIN OF POSSESSION S Relinquished By A Date/Time Date/Time	gn/Print	Names DayMars Day A Ro Corr 200	-06		CIAL INSTR		NS um level preparation	. S UOA	71			Matrix *
Relinquished By Rendicity Ton Pate/Time & Compared By Rendicity Pate/Time & Compared By Rendicity Pate/Time & Compared By Rendered By PTN or & Date/Time & Received By Relinquished By Date/Time & Received By Relinquished By Date/Time & Received By	# T 1	RThoren	17100	con	pounds found. Laboratory must	include t	he % Moisture data red in Ref.# & cility on 9 /	as part of	ali hard copy r		-galact	S-Sell SE-Sellmein SO-Sellid S -Shulgs W = Water O-Oll A-Alr DS-Draw Sellid DL-Drom Liquids T-Tissue
1 140 CM 9290 (B)	od By	mich A. 6	99 08 C	9 <u>3</u> 0	Colle	ftor no	cility on/ t available to r /	elingui	sh samnles	25/00		WI=Wipe L=Liquid V=Vegetation X=Other
	Бу	Da	te/Time						1/2	2/00		
LABORATORY Received By SECTION			Túc	le						Da	He/Time	
FINAL SAMPLE Disposal Method DISPOSITION		•			Dispo	sed By				Da	ate/Time	